

Notice of variation and consolidation with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

Labwaste Ltd
Labwaste Hinckley
Unit 23
Jacknell Road
Hinckley
LE10 3BS

Variation application number

EPR/SP3895VG/V005

Permit number

EPR/SP3895VG

Labwaste Hinckley

Permit number EPR/SP3895VG

Introductory note

This introductory note does not form a part of the notice

Under the Environmental Permitting (England & Wales) Regulations 2016 (schedule 5, part 1, paragraph 19) a variation may comprise a consolidated permit reflecting the variations and a notice specifying the variations included in that consolidated permit.

Schedule 1 of the notice specifies the conditions that have been varied and schedule 2 comprises a consolidated permit which reflects the variations being made. Only the variations specified in schedule 1 are subject to a right of appeal.

This variation adds new waste codes to Tables S2.2 and S2.4.

The schedules specify the changes made to the permit.

We consider that in reaching our decision to vary the permit we have taken into account all relevant considerations and legal requirements. We are satisfied that the permit will ensure that a high level of protection is provided for the environment and human health and that the activities will not give rise to any significant pollution of the environment or harm to human health.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit		
Description	Date	Comments
Application EPR/SP3895VG/A001 received	Duly made 02/03/2011	Application for a waste transfer station.
Additional information received	22/03/2011	
Permit determined EPR/SP3895VG	24/05/2011	Original permit issued to Labwaste Ltd.
Variation application EPR/SP3895VG/V002	Duly made 31/07/2013	Application to add additional waste codes.
Variation determined EPR/SP3895VG	06/08/2013	Notice of variation issued.
Variation application received EPR/SP3895VG/V003	11/02/2015	
Additional information received	27/02/2015	Limitation wording agreed to and list of waste types proposed under this application amended.
Variation duly made	Duly made 27/02/2015	

Status log of the permit		
Description	Date	Comments
Variation determined EPR/SP3895VG	01/04/2015	Notice of variation issued.
Application EPR/SP3895VG/V004 (variation and consolidation)	Duly made 02/11/2015	Application to vary permit to include a newly prescribed activity under the Industrial Emissions Directive (IED).
Variation determined EPR/SP3895VG (Billing ref: NP3935RA)	02/03/2016	Variation notice issued.
Application EPR/SP3895VG/V005 (variation and consolidation)	Duly made 06/11/2020	Application to add additional waste codes.
Variation determined EPR/SP3895VG/V005 Billing ref.: KP3509LX	23/11/2020	Notice of variation issued.

End of introductory note

Notice of variation and consolidation

The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies

Permit number

EPR/SP3895VG

Issued to

Labwaste Ltd ("the operator")

whose registered office is

**Atlas House
Third Avenue
Globe Park
Marlow
Buckinghamshire
SL7 1EY**

company registration number 05328880

to operate a regulated facility at

**Labwaste Hinckley
Unit 23
Jacknell Road
Hinckley
LE10 3BS**

to the extent set out in the schedules.

The notice shall take effect from 23/11/2020

Name	Date
David Griffiths	23/11/2020

Authorised on behalf of the Environment Agency

Schedule 1

The following conditions were varied as a result of the application made by the operator:

Table S2.2 as referenced by condition 2.3.4 is amended to include new EWC waste codes.

Table S2.4 as referenced by condition 2.3.4 is amended to include new EWC waste codes.

Schedule 2 – consolidated permit

Consolidated permit issued as a separate document.

Permit

The Environmental Permitting (England and Wales) Regulations 2016

Permit number

EPR/SP3895VG

This is the consolidated permit referred to in the variation and consolidation notice for application
EPR/SP3895VG/V005 authorising,

Labwaste Ltd ("the operator"),

whose registered office is

**Atlas House
Third Avenue
Globe Park
Marlow
Buckinghamshire
SL7 1EY**

company registration number 05328880

to operate an installation at

**Labwaste Hinckley
Unit 23
Jacknell Road
Hinckley
LE10 3BS**

to the extent authorised by and subject to the conditions of this permit.

Name	Date
David Griffiths	23/11/2020

Authorised on behalf of the Environment Agency

Conditions

1 Management

1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
- (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
 - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme.

1.2 Energy efficiency

- 1.2.1 For the following activities referenced in schedule 1, table S1.1 (A1 to A7) the operator shall:
- (a) take appropriate measures to ensure that energy is used efficiently in the activities;
 - (b) review and record at least every four years whether there are suitable opportunities to improve the energy efficiency of the activities; and
 - (c) take any further appropriate measures identified by a review.

1.3 Efficient use of raw materials

- 1.3.1 For the following activities referenced in schedule 1, table S1.1 (A1 to A7) the operator shall:
- (a) take appropriate measures to ensure that raw materials and water are used efficiently in the activities;
 - (b) maintain records of raw materials and water used in the activities;
 - (c) review and record at least every four years whether there are suitable alternative materials that could reduce environmental impact or opportunities to improve the efficiency of raw material and water use; and
 - (d) take any further appropriate measures identified by a review.

1.4 Avoidance, recovery and disposal of wastes produced by the activities

- 1.4.1 The operator shall take appropriate measures to ensure that:
- (a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and
 - (b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and
 - (c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.

- 1.4.2 The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

2 Operations

2.1 Permitted activities

- 2.1.1 The operator is only authorised to carry out the activities specified in schedule 1 table S1.1 (the “activities”).
- 2.1.2 Waste authorised by this permit shall be clearly distinguished from any other waste on the site.

2.2 The site

- 2.2.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plans at schedule 7 to this permit.

2.3 Operating techniques

- 2.3.1 For the following activities referenced in schedule 1, table S1.1 (A1 to A7) the activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.
- 2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation (“plan”) specified in schedule 1, table S1.2 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 2.3.3 Any raw materials or fuels listed in schedule 2 table S2.1 shall conform to the specifications set out in that table.
- 2.3.4 Waste shall only be accepted if:
- (a) it is of a type and quantity listed in schedule 2 tables S2.2, S2.3, S2.4 and S2.5; and
 - (b) it conforms to the description in the documentation supplied by the producer and holder.
- 2.3.5 The operator shall ensure that where waste produced by the activities is sent to a relevant waste operation, that operation is provided with the following information, prior to the receipt of the waste:
- (a) the nature of the process producing the waste;
 - (b) the composition of the waste;
 - (c) the handling requirements of the waste;
 - (d) the hazardous property associated with the waste, if applicable; and
 - (e) the waste code of the waste.
- 2.3.6 The operator shall ensure that where waste produced by the activities is sent to a landfill site, it meets the waste acceptance criteria for that landfill.

2.4 Hazardous waste storage and treatment

- 2.4.1 Hazardous waste shall not be mixed, either with a different category of hazardous waste or with other waste, substances or materials, unless it is authorised by schedule 1 table S1.1 and appropriate measures are taken.

2.5 WEEE storage

- 2.5.1 Spillage collection facilities and, where appropriate, decanters and cleanser-degreasers shall be provided and used as necessary.
- 2.5.2 WEEE shall be stored in areas provided with a weatherproof covering where appropriate or in containers providing a weatherproof covering where appropriate.

2.6 Improvement programme

- 2.6.1 The operator shall complete the improvements specified in schedule 1 table S1.3 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.
- 2.6.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

3 Emissions and monitoring

3.1 Emissions to water, air or land

- 3.1.1 There shall be no point source emissions to water, air or land except from the sources and emission points listed in schedule 3 tables S3.1 and S3.2.
- 3.1.2 The limits given in schedule 3 shall not be exceeded.

3.2 Emissions of substances not controlled by emission limits

- 3.2.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.
- 3.2.2 The operator shall:
 - (a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;
 - (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 3.2.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

3.3 Odour

- 3.3.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.
- 3.3.2 The operator shall:
 - (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to odour, submit to the Environment Agency for approval within the period specified, an odour management plan which identifies and minimises the risks of pollution from odour;

- (b) implement the approved odour management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.4 Noise and vibration

- 3.4.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.
- 3.4.2 The operator shall:
 - (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from noise and vibration;
 - (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.5 Monitoring

- 3.5.1 The operator shall, unless otherwise agreed in writing by the Environment Agency, undertake the monitoring specified in the following tables in schedule 3 to this permit:
 - (a) point source emissions specified in tables S3.1 and S3.2.
- 3.5.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.
- 3.5.3 Monitoring equipment, techniques, personnel and organisations employed for the emissions monitoring programme and the environmental or other monitoring specified in condition 3.5.1 shall have either MCERTS certification or MCERTS accreditation (as appropriate), where available, unless otherwise agreed in writing by the Environment Agency.
- 3.5.4 Permanent means of access shall be provided to enable sampling/monitoring to be carried out in relation to the emission points specified in schedule 3 tables S3.1 unless otherwise agreed in writing by the Environment Agency.

3.6 Pests

- 3.6.1 The activities shall not give rise to the presence of pests which are likely to cause pollution, hazard or annoyance outside the boundary of the site. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved pests management plan, have been taken to prevent or where that is not practicable, to minimise the presence of pests on the site.
- 3.6.2 The operator shall:
 - (a) if notified by the Environment Agency, submit to the Environment Agency for approval within the period specified, a pests management plan which identifies and minimises risks of pollution from pests;
 - (b) implement the pests management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.7 Fire prevention

- 3.7.1 The operator shall take all appropriate measures to prevent fires on site and minimise the risk of pollution from them including, but not limited to, those specified in any approved fire prevention plan.
- 3.7.2 The operator shall:
- (a) if notified by the Environment Agency that the activities are giving rise to a risk of fire, submit to the Environment Agency for approval within the period specified, a fire prevention plan which prevents fires and minimises the risk of pollution from fires;
 - (b) implement the fire prevention plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

4 Information

4.1 Records

- 4.1.1 All records required to be made by this permit shall:
- (a) be legible;
 - (b) be made as soon as reasonably practicable;
 - (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
 - (d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:
 - (i) off-site environmental effects; and
 - (ii) matters which affect the condition of the land and groundwater.
- 4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

4.2 Reporting

- 4.2.1 The operator shall send all reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.
- 4.2.2 For the following activities referenced in schedule 1, table S1.1 (A1 to A7) a report or reports on the performance of the activities over the previous year shall be submitted to the Environment Agency by 31 January (or other date agreed in writing by the Environment Agency) each year. The report(s) shall include as a minimum:
- (a) a review of the results of the monitoring and assessment carried out in accordance with the permit including an interpretive review of that data;
 - (b) the annual production /treatment data set out in schedule 4 table S4.2; and
 - (c) the performance parameters set out in schedule 4 table S4.3 using the forms specified in table S4.4 of that schedule.
- 4.2.3 Within 28 days of the end of the reporting period the operator shall, unless otherwise agreed in writing by the Environment Agency, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:
- (a) in respect of the parameters and emission points specified in schedule 4 table S4.1;

- (b) for the reporting periods specified in schedule 4 table S4.1 and using the forms specified in schedule 4 table S4.4; and
 - (c) giving the information from such results and assessments as may be required by the forms specified in those tables.
- 4.2.4 The operator shall, unless notice under this condition has been served within the preceding four years, submit to the Environment Agency, within six months of receipt of a written notice, a report assessing whether there are other appropriate measures that could be taken to prevent, or where that is not practicable, to minimise pollution.
- 4.2.5 Within 1 month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.

4.3 Notifications

- 4.3.1 For the following activities referenced in schedule 1, table S1.1 (A1 to A7), in the event:
- (a) that the operation of the activities gives rise to an incident or accident which significantly affects or may significantly affect the environment, the operator must immediately—
 - (i) inform the Environment Agency,
 - (ii) take the measures necessary to limit the environmental consequences of such an incident or accident, and
 - (iii) take the measures necessary to prevent further possible incidents or accidents;
 - (b) of a breach of any permit condition the operator must immediately—
 - (i) inform the Environment Agency, and
 - (ii) take the measures necessary to ensure that compliance is restored within the shortest possible time;
 - (c) of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment, the operator must immediately suspend the operation of the activities or the relevant part of it until compliance with the permit conditions has been restored.
- 4.3.2 Any information provided under condition 4.3.1 (a)(i), or 4.3.1 (b)(i) where the information relates to the breach of a limit specified in the permit, shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.
- 4.3.3 For the following activities referenced in schedule 1, table S1.1 (A8 to A9), the Environment Agency shall be notified without delay following the detection of:
- (a) any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution;
 - (b) the breach of a limit specified in the permit; or
 - (c) any significant adverse environmental effects.
- 4.3.4 Any information provided under condition 4.3.3 shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.
- 4.3.5 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.

- 4.3.6 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

- (a) any change in the operator's trading name, registered name or registered office address; and
- (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (c) any change in the operator's name or address; and
- (d) any steps taken with a view to the dissolution of the operator.

In any other case:

- (e) the death of any of the named operators (where the operator consists of more than one named individual);
- (f) any change in the operator's name(s) or address(es); and
- (g) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.

- 4.3.7 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:

- (a) the Environment Agency shall be notified at least 14 days before making the change; and
- (b) the notification shall contain a description of the proposed change in operation.

- 4.3.8 The Environment Agency shall be given at least 14 days notice before implementation of any part of the site closure plan.

4.4 Interpretation

- 4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.

- 4.4.2 For the following activities referenced in schedule 1, table S1.1 (A1 to A7), in this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "immediately" in which case it may be provided by telephone.

- 4.4.3 For the following activities referenced in schedule 1, table S1.1 (A8 to A9), in this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "without delay", in which case it may be provided by telephone.

Schedule 1 – Operations

Table S1.1 activities			
Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
A1	S5.3 A(1) (a) (iii) Disposal or recovery of hazardous waste with a capacity exceeding 10 tonnes per day involving blending or mixing prior to submission to any of the other activities listed in this Section or Section 5.1.	<p>D13: Blending or mixing prior to submission to any of the operations numbered D1 to D12.</p> <p>R3: Recycling/ reclamation of organic substances which are not used as solvents.</p> <p>R4: Recycling/ reclamation of metals and metal compounds.</p> <p>R5: Recycling/ reclamation of other inorganic materials.</p>	<p>From receipt of waste to dispatch off-site for disposal by one of the operations D1 to D12 or recovery by one of the operations R1 to R12.</p> <p>Blending of compatible hazardous wastes in a building with impermeable surface and sealed drainage system prior to submission off-site for disposal by one of the operations D1 to D12 or recovery by one of the operations R1 to R12.</p> <p>Waste types suitable for acceptance are limited to those specified in Table S2.2 Column A and Table S2.3 Column A.</p>
A2	S5.3 A(1) (a) (iv) Disposal or recovery of hazardous waste with a capacity exceeding 10 tonnes per day involving repackaging prior to submission to any of the other activities listed in this Section or Section 5.1.	<p>D14: Repackaging prior to submission to any of the operations numbered D1 to D13.</p> <p>R3: Recycling/ reclamation of organic substances which are not used as solvents.</p> <p>R4: Recycling/ reclamation of metals and metal compounds.</p> <p>R5: Recycling/ reclamation of other inorganic materials.</p>	<p>From receipt of waste to dispatch off-site for disposal by one of the operations D1 to D12 or recovery by one of the operations R1 to R12.</p> <p>Bulking, aggregation and/or repackaging of compatible hazardous wastes in a building with impermeable surface and sealed drainage system prior to submission off-site for disposal by one of the operations D1 to D12 or recovery by one of the operations R1 to R12.</p> <p>Waste types suitable for acceptance are limited to those specified in Table S2.2 Column B and Table S2.3 Column B.</p>
A3	S5.6 Part A(1) (a) Temporary storage of	D15: Storage pending any of the operations numbered	From receipt of waste to dispatch off-site for disposal

Table S1.1 activities			
Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
	hazardous waste with a total capacity exceeding 50 tonnes pending any of the activities listed in Sections 5.1, 5.2, 5.3 and paragraph (b) of this Section.	<p>D1 to D14 (excluding temporary storage, pending collection, on the site where the waste is produced).</p> <p>R13: Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where the waste is produced).</p>	<p>by one of the operations D1 to D12 or recovery by one of the operations R1 to R12.</p> <p>Temporary storage of hazardous wastes for the purpose of disposal by one of the operations D1 to D12 or recovery by one of the operations R1 to R12.</p> <p>Wastes shall be stored on an impermeable surface with sealed drainage system.</p> <p>Wastes shall be stored on site for no longer than 6 months.</p> <p>Refrigeration units shall not be stored for more than 3 months without prior written approval from the Environment Agency.</p> <p>Free storage of refrigeration units shall not exceed a maximum storage height of 3.5 metres.</p> <p>Lead acid batteries shall be stored on an impermeable, acid resistant base and under a cover that prevents ingress of water.</p> <p>Waste types suitable for acceptance are limited to those specified in Table S2.2 Column C and Table S2.3 Column C.</p>
	Directly Associated Activity		
A4	Raw material storage	Storage of raw materials	From the receipt of raw materials to despatch for use within the facility.

Table S1.1 activities			
Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
A5	Cleaning and baling of empty plastic or metal containers	Cleaning and baling of plastic and metal containers emptied on site prior to dispatch off-site for recovery or disposal.	From the generation of empty plastic and metal containers from on-site operations only to dispatch off-site for recovery or disposal.
A6	Cleaning and culletising of empty glass containers	Cleaning and culletising of glass containers emptied on site prior to dispatch off-site for recovery or disposal.	From the generation of empty glass containers from on-site operations only to dispatch off-site for recovery or disposal.
A7	Surface water management and discharge	Surface water arising from permitted area. Discharge to surface water sewer.	From the collection of uncontaminated roof and site surface water to discharge off-site. Prior to any handling of waste outside the building all bungs are to be fitted to the surface water drain interceptors.
Activity reference	Description of activities for waste operations	Limits of activities	
A8	D13: Blending or mixing prior to submission to any of the operations numbered D1 to D12. D14: Repackaging prior to submission to any of the operations numbered D1 to D13. R3: Recycling/ reclamation of organic substances which are not used as solvents. R4: Recycling/ reclamation of metals and metal compounds. R5: Recycling/ reclamation of other inorganic materials.	From receipt of waste to dispatch off-site for disposal by one of the operations D1 to D12 or recovery by one of the operations R1 to R12. Blending, bulking, aggregation and/or repackaging of compatible non-hazardous wastes in a building with impermeable surface and sealed drainage system for the purpose of disposal by one of the operations D1 to D12 or recovery by one of the operations R1 to R12. Waste types suitable for acceptance are limited to those specified in Table S2.4 Columns A and B and Table S2.5 Columns A and B.	
A9	D15: Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where the waste is produced). R13: Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced).	From receipt of waste to dispatch off-site for disposal by one of the operations D1 to D12 or recovery by one of the operations R1 to R12. Temporary storage of non-hazardous waste prior to dispatch off-site for disposal by one of the operations D1 to D12 or recovery by one of the operations R1 to R12. Wastes shall be stored on an impermeable	

Table S1.1 activities			
Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
		surface with sealed drainage system.	
		Wastes shall be stored for no longer than 1 year prior to disposal or 3 years prior to recovery.	
		Waste types suitable for acceptance are limited to those specified in Table S2.4 Column C and Table S2.5 Column C.	

Table S1.2 Operating techniques		
Description	Parts	Date Received
Application	Application document in response to section 3a technical standards, Part B4 of the application form	02/03/11
Application	Documents referenced in Table 3a – Technical standards, Part C4 of the application form	02/11/15
	Pre-acceptance procedure reference P009 in response to section 1, Appendix 2, Part C4 and section 1, Appendix 1, Part C4 of the application form	
	Waste receipts procedure reference P011 in response to section 1, Appendix 2, Part C4 and section 1, Appendix 1, Part C4 of the application form	
	Waste processing and storage procedure reference P013 in response to section 1, Appendix 1, Part C4 of the application form	
Further information	Email confirming how blending / mixing operations are to be undertaken at the site.	28/01/16

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
IC1	Submit a written action plan for the improvement of the drainage infrastructure of the flammables reception and storage areas to the Environment Agency for approval. The plan must contain measures to comply with the requirements of self-contained drainage specified in section 2.1.3 of Sector Guidance Note IPPC S5.06 – <i>Guidance for the Treatment of Hazardous and Non Hazardous Waste</i> . The plan must contain dates for the implementation of individual measures. The notification requirements of condition 2.4.2 will be deemed to have been complied with on submission of the plan. You must implement the plan as approved, and from the date stipulated by the Environment Agency.	02/09/16
IC2	Submit a written action plan for the improvement of the drainage infrastructure inside the waste storage building to the Environment Agency for approval. The plan must contain measures to comply with the requirements of self-contained drainage and prevention of contact between drainage from incompatible wastes specified in section 2.1.3 of Sector Guidance Note IPPC S5.06 – <i>Guidance for the Treatment of</i>	02/09/16

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
	<p><i>Hazardous and Non Hazardous Waste.</i> The plan must contain dates for the implementation of individual measures.</p> <p>The notification requirements of condition 2.4.2 will be deemed to have been complied with on submission of the plan.</p> <p>You must implement the plan as approved, and from the date stipulated by the Environment Agency.</p>	
IC3	<p>The operator shall submit a written report to the Environment Agency for approval that includes:</p> <ul style="list-style-type: none"> (a) the results of an assessment of environmental risks from the site using the Environment Agency's 'H1 Environmental Risk Assessment' tool (or equivalent as agreed with the Environment Agency), including from accidents, fugitive emissions and odour; and (b) proposals for appropriate measures to mitigate any impacts where the assessment determines they have the potential to be significant, including dates for implementation of individual measures. <p>The operator shall implement the measures in (a) and (b) as approved, and from the dates stipulated by the Environment Agency.</p>	02/09/16
IC4	<p>The operator shall submit a written plan to the Environment Agency for approval that includes:</p> <ul style="list-style-type: none"> (a) proposals to undertake representative monitoring of the air discharged from points A1 and A2 including the parameters to be monitored, frequencies of monitoring and methods to be used; (b) confirmation that a written report will be submitted to the Environment Agency for approval that includes: <ul style="list-style-type: none"> (i) the results of an assessment of the impact of the emission to air from the site using the Environment Agency's 'H1 Environmental Risk Assessment' tool (or equivalent as agreed with the Environment Agency) based on the parameters monitored in (a) above; and (ii) proposals for appropriate measures to mitigate the impact of the emission where the assessment determines they are significant, including emissions limits and monitoring and dates for implementation of individual measures; and (iii) details of appropriate measures for the operation and maintenance of the abatement system to ensure that where emission limits are proposed they are met or, where emission limits are not required, emissions remain insignificant. <p>The operator shall carry out the monitoring in accordance with the Environment Agency's written approval.</p>	02/09/16

Schedule 2 – Waste types, raw materials and fuels

Table S2.1 Raw materials and fuels	
Raw materials and fuel description	Specification
-	-

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage				
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
02	Wastes from Agriculture, Horticulture, Aquaculture, Forestry, Hunting and Fishing, Food Preparation and Processing			
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing			
02 01 08*	agrochemical waste containing hazardous substances	✓	✓	✓
03	Wastes from Wood Processing and the Production of Panels and Furniture, Pulp, Paper and Cardboard			
03 02	wastes from wood preservation			
03 02 01*	non-halogenated organic wood preservatives	✓	✓	✓
03 02 02*	organochlorinated wood preservatives	✓	✓	✓
03 02 03*	organometallic wood preservatives	✓	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage				
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
03 02 04*	inorganic wood preservatives	✓	✓	✓
03 02 05*	other wood preservatives containing hazardous substances	✓	✓	✓
04 Wastes from the Leather, Fur and Textile Industries				
04 01	wastes from the leather and fur industry			
04 01 03*	degreasing wastes containing solvents without a liquid phase	✓	✓	✓
04 02	wastes from the textile industry			
04 02 14*	wastes from finishing containing organic solvents	✓	✓	✓
04 02 16*	dyestuffs and pigments containing hazardous substances	✓	✓	✓
05 Wastes from Petroleum Refining, Natural Gas Purification and Pyrolytic Treatment of Coal				
05 01	Wastes from petroleum refining			
05 01 05*	oil spills	✓	✓	✓
05 01 06*	oily sludges from maintenance operations of the plant or equipment	✓	✓	✓
06 Wastes from Inorganic Chemical Processes				
06 01	wastes from the manufacture, formulation, supply and use (MSFU) of acids			
06 01 01*	sulphuric acid and sulphurous acid	✓	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
06 01 02*	hydrochloric acid	✓	✓	✓
06 01 03*	hydrofluoric acid	✓	✓	✓
06 01 04*	phosphoric acid and phosphorous acid	✓	✓	✓
06 01 05*	nitric acid and nitrous acid	✓	✓	✓
06 01 06*	other acids	✓	✓	✓
06 02	wastes from the MFSU of bases			
06 02 01*	calcium hydroxide	✓	✓	✓
06 02 03*	ammonium hydroxide	✓	✓	✓
06 02 04*	sodium and potassium hydroxide	✓	✓	✓
06 02 05*	other bases	✓	✓	✓
06 03	wastes from the MFSU of salts and their solutions and metallic oxides			
06 03 11*	solid salts and solutions containing cyanides	✓	✓	✓
06 03 13*	solid salts and solutions containing heavy metals	✓	✓	✓
06 03 15*	metallic oxides containing heavy metals	✓	✓	✓
06 04	metal-containing wastes other than those mentioned in 06 03			

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
06 04 03*	wastes containing arsenic	✓	✓	✓
06 04 04*	wastes containing mercury	✓	✓	✓
06 04 05*	wastes containing other heavy metals	✓	✓	✓
06 05 02*	sludges from on-site effluent treatment containing hazardous substances	✓	✓	✓
06 06 02*	wastes containing hazardous sulphides	✓	✓	✓
06 07	wastes from the MFSU of halogens and halogen chemical processes			
06 07 01*	wastes containing asbestos from electrolysis	X	✓	✓
06 07 02*	activated carbon from chlorine production	X	✓	✓
06 07 03*	barium sulphate sludge containing mercury	X	✓	✓
06 07 04*	solutions and acids, for example contact acid	✓	✓	✓
06 08	wastes from the MFSU of silicon and silicon derivatives			
06 08 02*	waste containing hazardous silicones	✓	✓	✓
06 10	wastes from the MFSU of nitrogen chemicals, nitrogen chemical processes and fertiliser manufacture			
06 10 02*	wastes containing hazardous substances	X	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage				
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
06 13	wastes from inorganic chemical processes not otherwise specified			
06 13 01*	inorganic plant protection products, wood–preserving agents and other biocides	✓	✓	✓
06 13 02*	spent activated carbon (except 06 07 02)	X	✓	✓
06 13 04*	wastes from asbestos processing	X	✓	✓
07	Wastes from Organic Chemical Processes			
07 01	wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals			
07 01 01*	aqueous washing liquids and mother liquids	✓	✓	✓
07 01 03*	organic halogenated solvents, washing liquids and mother liquids	✓	✓	✓
07 01 04*	other organic solvents, washing liquids and mother liquids	✓	✓	✓
07 01 07*	halogenated still bottoms and reaction residues	✓	✓	✓
07 01 08*	other still bottom and reaction residues	✓	✓	✓
07 01 09*	halogenated filter cakes and spent absorbents	X	✓	✓
07 01 10*	other filter cakes and spent absorbents	X	✓	✓
07 01 11*	sludges from on-site effluent treatment containing hazardous substances	✓	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
07 02	wastes from the MFSU of plastics, synthetic rubber and man-made fibres			
07 02 01*	aqueous washing liquids and mother liquors	✓	✓	✓
07 02 03*	organic halogenated solvents, washing liquids and mother liquors	✓	✓	✓
07 02 04*	other organic solvents, washing liquids and mother liquors	✓	✓	✓
07 02 07*	halogenated still bottoms and reaction residues	✓	✓	✓
07 02 08*	other still bottoms and reaction residues	✓	✓	✓
07 02 09*	halogenated filter cakes and spent absorbents	X	✓	✓
07 02 10*	other filter cakes and spent absorbents	X	✓	✓
07 02 11*	sludges from on-site effluent treatment containing hazardous substances	✓	✓	✓
07 02 14*	wastes from additives containing hazardous substances	✓	✓	✓
07 02 16*	wastes containing hazardous silicones	✓	✓	✓
07 03	wastes from the MFSU of organic dyes and pigments (except 06 11)			
07 03 01*	aqueous washing liquids and mother liquors	✓	✓	✓
07 03 03*	organic halogenated solvents, washing liquids and mother liquors	✓	✓	✓
07 03 04*	other organic solvents, washing liquids and mother liquors	✓	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
07 03 07*	halogenated still bottoms and reaction residues	✓	✓	✓
07 03 08*	other still bottoms and reaction residues	✓	✓	✓
07 03 09*	halogenated filter cakes and spent absorbents	X	✓	✓
07 03 10*	other filter cakes and spent absorbents	X	✓	✓
07 03 11*	sludges from on-site effluent treatment containing hazardous substances	✓	✓	✓
07 04	wastes from the MFSU of organic plant protection products (except 02 01 08 and 02 01 09), wood preserving agents (except 03 02) and other biocides			
07 04 01*	aqueous washing liquids and mother liquors	✓	✓	✓
07 04 03*	organic halogenated solvents, washing liquids and mother liquors	✓	✓	✓
07 04 04*	other organic solvents, washing liquids and mother liquors	✓	✓	✓
07 04 07*	halogenated still bottoms and reaction residues	✓	✓	✓
07 04 08*	other still bottoms and reaction residues	✓	✓	✓
07 04 09*	halogenated filter cakes and spent absorbents	X	✓	✓
07 04 10*	other filter cakes and spent absorbents	X	✓	✓
07 04 11*	sludges from on-site effluent treatment containing hazardous substances	✓	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
07 04 13*	solid wastes containing hazardous substances	X	✓	✓
07 05	wastes from the MFSU of pharmaceuticals			
07 05 01*	aqueous washing liquids and mother liquors	✓	✓	✓
07 05 03*	organic halogenated solvents, washing liquids and mother liquors	✓	✓	✓
07 05 04*	other organic solvents, washing liquids and mother liquors	✓	✓	✓
07 05 07*	halogenated still bottoms and reaction residues	✓	✓	✓
07 05 08*	other still bottoms and reaction residues	✓	✓	✓
07 05 09*	halogenated filter cakes and spent absorbents	X	✓	✓
07 05 10*	other filter cakes and spent absorbents	X	✓	✓
07 05 11*	sludges from on-site effluent treatment containing hazardous substances	✓	✓	✓
07 05 13*	solid wastes containing hazardous substances	X	✓	✓
07 06	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics			
07 06 01*	aqueous washing liquids and mother liquors	✓	✓	✓
07 06 03*	organic halogenated solvents, washing liquids and mother liquors	✓	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
07 06 04*	other organic solvents, washing liquids and mother liquors	✓	✓	✓
07 06 07*	halogenated still bottoms and reaction residues	✓	✓	✓
07 06 08*	other still bottoms and reaction residues	✓	✓	✓
07 06 09*	halogenated filter cakes and spent absorbents	X	✓	✓
07 06 10*	other filter cakes and spent absorbents	X	✓	✓
07 06 11*	sludges from on-site effluent treatment containing hazardous substances	✓	✓	✓
07 07	wastes from the MFSU of fine chemicals and chemical products not otherwise specified			
07 07 01*	aqueous washing liquids and mother liquors	✓	✓	✓
07 07 03*	organic halogenated solvents, washing liquids and mother liquors	✓	✓	✓
07 07 04*	other organic solvents, washing liquids and mother liquors	✓	✓	✓
07 07 07*	halogenated still bottoms and reaction residues	✓	✓	✓
07 07 08*	other still bottoms and reaction residues	✓	✓	✓
07 07 09*	halogenated filter cakes and spent absorbents	X	✓	✓
07 07 10*	other filter cakes and spent absorbents	X	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
07 07 11*	Sludges from on-site effluent treatment containing hazardous substances	✓	✓	✓
08	Wastes from Manufacture, Formulation, Supply and Use (MFSU) of Coatings (Paints, Varnishes and Vitreous Enamels), Adhesives, Sealants and Printing Inks			
08 01	wastes from MFSU and removal of paint and varnish			
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	✓	✓	✓
08 01 13*	sludges from paint or varnish containing organic solvents or other hazardous substances	✓	✓	✓
08 01 15*	aqueous sludges containing paint or varnish containing organic solvents or other hazardous substances	✓	✓	✓
08 01 17*	wastes from paint or varnish removal containing organic solvents or other hazardous substances	✓	✓	✓
08 01 19*	aqueous suspensions containing paint or varnish containing organic solvents or other hazardous substances	✓	✓	✓
08 01 21*	waste paint or varnish remover	✓	✓	✓
08 03	wastes from MFSU of printing inks			
08 03 12*	waste ink containing hazardous substances	✓	✓	✓
08 03 14*	ink sludges containing hazardous substances	✓	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
08 03 16*	waste etching solutions	✓	✓	✓
08 03 17*	waste printing toner containing hazardous substances	✓	✓	✓
08 03 19*	disperse oil	✓	✓	✓
08 04	wastes from MFSU of adhesives and sealants (including waterproofing products)			
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances	✓	✓	✓
08 04 11*	adhesive and sealant sludges containing organic solvents or other hazardous substances	✓	✓	✓
08 04 13*	aqueous sludges containing adhesives or sealants containing organic solvents or other hazardous substances	✓	✓	✓
08 04 15*	aqueous liquid waste containing adhesives or sealants containing organic solvents or other hazardous substances	✓	✓	✓
08 04 17*	rosin oil	✓	✓	✓
08 05	wastes not otherwise specified in 08			
08 05 01*	waste isocyanates	X	✓	✓
09	Wastes from the Photographic Industry			
09 01	wastes from the photographic industry			

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
09 01 01*	water-based developer and activator solutions	✓	✓	✓
09 01 02*	water-based offset plate developer solutions	✓	✓	✓
09 01 03*	solvent-based developer solutions	✓	✓	✓
09 01 04*	fixer solutions	✓	✓	✓
09 01 05*	bleach solutions and bleach fixer solutions	✓	✓	✓
09 01 06*	wastes containing silver from on-site treatment of photographic wastes	✓	✓	✓
09 01 11*	single-use cameras containing batteries included in 16 06 01, 16 06 02 or 16 06 03	X	✓	✓
09 01 13*	aqueous liquid waste from on-site reclamation of silver other than those mentioned in 09 01 06	✓	✓	✓
10 Wastes from Thermal Processes				
10 01	wastes from power stations and other combustion plants (except 19)			
10 01 09*	sulphuric acid	✓	✓	✓
10 01 14*	bottom ash, slag and boiler dust from co-incineration containing hazardous substances	X	✓	✓
10 01 18*	wastes from gas cleaning containing hazardous substances	✓	✓	✓
10 02	wastes from iron and steel industry			

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
10 02 07*	solid wastes from gas treatment containing hazardous substances	X	✓	✓
10 04	wastes from lead thermal metallurgy			
10 04 05*	other particulates and dust	X	✓	✓
10 09	wastes from casting of ferrous pieces			
10 09 15*	waste crack-indicating agent containing hazardous substances	✓	✓	✓
10 10	wastes from casting of non-ferrous pieces			
10 10 05*	casting cores and moulds which have not undergone pouring, containing hazardous substances	X	✓	✓
10 10 07*	casting cores and moulds which have undergone pouring, containing hazardous substances	X	✓	✓
10 10 15*	waste crack-indicating agent containing hazardous substances	✓	✓	✓
10 11	wastes from manufacture of glass and glass products			
10 11 11*	waste glass in small particles and glass powder containing heavy metals (for example from cathode ray tubes)	X	✓	✓
10 11 13*	glass-polishing and grinding sludge containing hazardous substances	X	✓	✓
10 11 15*	solid wastes from flue–gas treatment containing hazardous substances	X	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
10 11 17*	sludges and filter cakes from flue-gas treatment containing hazardous substances	X	✓	✓
10 11 19*	solid wastes from on-site effluent treatment containing hazardous substances	X	✓	✓
10 12	wastes from manufacture of ceramic goods, bricks, tiles and construction products			
10 12 11*	wastes from glazing containing heavy metals	X	✓	✓
10 13	wastes from manufacture of ceramic goods, lime and plaster and articles and products made from them			
10 13 09*	wastes from asbestos-cement manufacture containing asbestos	X	✓	✓
11	Wastes from Chemical Surface Treatment and Coating of Metals and other Materials; Non-Ferrous Hydro-Metallurgy			
11 01	Wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphatising, alkaline degreasing, anodising)			
11 01 05*	pickling acids	✓	✓	✓
11 01 06*	acids not otherwise specified	✓	✓	✓
11 01 07*	pickling bases	✓	✓	✓
11 01 08*	phosphatising sludges	✓	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
11 01 09*	sludges and filter cakes containing hazardous substances	✓	✓	✓
11 01 11*	aqueous rinsing liquids containing hazardous substances	✓	✓	✓
11 01 13*	degreasing wastes containing hazardous substances	✓	✓	✓
11 01 16*	saturated or spent ion exchange resins	X	✓	✓
11 03	sludges and solids from tempering processes			
11 03 01*	wastes containing cyanide	✓	✓	✓
12	wastes from shaping and physical and mechanical surface treatment of metals and plastics			
12 01	wastes from shaping and physical and mechanical surface treatment of metals and plastics			
12 01 06*	mineral-based machining oils containing halogens (except emulsions and solutions)	✓	✓	✓
12 01 07*	mineral-based machining oils free of halogens (except emulsions and solutions)	✓	✓	✓
12 01 08*	Machining emulsions and solutions containing halogens	✓	✓	✓
12 01 10*	synthetic machining oils	✓	✓	✓
12 01 12*	spent waxes and fats	✓	✓	✓
12 01 16*	waste blasting material containing hazardous substances	X	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
12 01 18*	metal sludge (grinding, honing and lapping sludge) containing oil	X	✓	✓
12 01 19*	readily biodegradable machining oil	✓	✓	✓
12 01 20*	spent grinding bodies and grinding materials containing hazardous substances	X	✓	✓
12 03	wastes from water and steam degreasing processes (except 11)			
12 03 01*	aqueous washing liquids	✓	✓	✓
12 03 02*	steam degreasing wastes	✓	✓	✓
13	Oil wastes and wastes of liquid fuels (except edible oils, and those in chapters 05, 12 and 19)			
13 01	waste hydraulic oils			
13 01 01*	hydraulic oils, containing PCBs	✓	✓	✓
13 01 04*	chlorinated emulsions	✓	✓	✓
13 01 05*	non-chlorinated emulsions	✓	✓	✓
13 01 09*	mineral-based chlorinated hydraulic oils	✓	✓	✓
13 01 10*	mineral –based non-chlorinated hydraulic oils	✓	✓	✓
13 01 11*	synthetic hydraulic oils	✓	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
13 01 12*	readily biodegradable hydraulic oils	✓	✓	✓
13 01 13*	other hydraulic oils	✓	✓	✓
13 02	waste engine, gear and lubricating oils			
13 02 04*	mineral-based chlorinated engine, gear and lubricating oils	✓	✓	✓
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils	✓	✓	✓
13 02 06*	synthetic engine, gear and lubricating oils	✓	✓	✓
13 02 07*	readily biodegradable engine, gear and lubricating oils	✓	✓	✓
13 02 08*	other engine, gear and lubricating oils	✓	✓	✓
13 03	waste insulating and heat transmission oils			
13 03 01*	insulating or heat transmission oils containing PCBs	✓	✓	✓
13 03 06*	mineral-based chlorinated insulating and heat transmission oils other than those mentioned in 13 03 01	✓	✓	✓
13 03 07*	mineral-based non-chlorinated insulating and heat transmission oils	✓	✓	✓
13 03 08*	synthetic insulating and heat transmission oils	✓	✓	✓
13 03 09*	readily biodegradable insulating and heat transmission oils	✓	✓	✓
13 03 10*	other insulating and heat transmission oils	✓	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
13 05	oil/water separator contents			
13 05 01*	solids from grit chambers and oil/water separators	X	✓	✓
13 05 02*	sludges from oil/water separators	✓	✓	✓
13 05 03*	interceptor sludges	✓	✓	✓
13 05 06*	oil from oil/water separators	✓	✓	✓
13 05 07*	oily water from oil/water separators	✓	✓	✓
13 05 08*	mixtures of wastes from grit chambers and oil/water separators	✓	✓	✓
13 07	wastes of liquid fuels			
13 07 01*	fuel oil and diesel	✓	✓	✓
13 07 02*	petrol	✓	✓	✓
13 07 03*	other fuels (including mixtures)	✓	✓	✓
13 08	oil wastes not otherwise specified			
13 08 01*	desalter sludges or emulsions	✓	✓	✓
13 08 02*	other emulsions	✓	✓	✓
14	Waste organic solvents, Refrigerants and Propellants (except 07 and 08)			

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
14 06	waste organic solvents, refrigerants and foam/aerosol propellants			
14 06 01*	chloroflourocarbons, HCFC, HFC	✓	✓	✓
14 06 02*	other halogenated solvents and solvent mixtures	✓	✓	✓
14 06 03*	other solvents and solvent mixtures	✓	✓	✓
14 06 04*	sludges or solid wastes containing halogenated solvents	X	✓	✓
14 06 05*	sludges or solid wastes containing other solvents	X	✓	✓
15	Waste Packaging; Absorbents, Wiping Cloths, Filter Materials and Protective Clothing not Otherwise Specified			
15 01	packaging (including separately collected municipal packaging waste)			
15 01 10*	packaging containing residues of or contaminated by hazardous substances	X	✓	✓
15 01 11*	metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers	X	✓	✓
15 02	absorbents, filter materials, wiping cloths and protective clothing			
15 02 02*	Absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by hazardous substances	X	✓	✓
16	Wastes not otherwise specified in the list			

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
16 01	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)			
16 01 07*	oil filters	X	✓	✓
16 01 08*	components containing mercury	X	✓	✓
16 01 09*	components containing PCBs	X	✓	✓
16 01 11*	brake pads containing asbestos	X	✓	✓
16 01 13*	brake fluids	✓	✓	✓
16 01 14*	antifreeze fluids containing hazardous substances	✓	✓	✓
16 01 21*	hazardous components other than those mentioned in 16 01 07 to 16 01 11 and 16 01 13 and 16 01 14	X	✓	✓
16 02	wastes from electrical and electronic equipment			
16 02 09*	Transformers and capacitors containing PCBs	X	✓	✓
16 02 10*	discarded equipment containing or contaminated by PCBs other than those mentioned in 16 02 09	X	✓	✓
16 02 11*	discarded equipment containing chloroflourocarbons, HCFC, HFC	X	✓	✓
16 02 12*	discarded equipment containing free asbestos	X	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
16 02 13*	discarded equipment containing hazardous components (2) other than those mentioned in 16 02 09 to 16 02 12	X	✓	✓
16 02 15*	hazardous components removed from discarded equipment	X	✓	✓
16 03	off-specification batches and unused products			
16 03 03*	inorganic wastes containing hazardous substances	✓	✓	✓
16 03 05*	organic wastes containing hazardous substances	✓	✓	✓
16 03 07*	metallic mercury	X	✓	✓
16 04	waste explosives	X	✓	✓
16 04 02*	fireworks wastes	X	✓	✓
16 05	gases in pressure containers and discarded chemicals			
16 05 04*	gases in pressure containers (including halons) containing hazardous substances	X	✓	✓
16 05 06*	laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals	✓	✓	✓
16 05 07*	discarded inorganic chemicals consisting of or containing hazardous substances	✓	✓	✓
16 05 08*	discarded organic chemicals consisting of or containing hazardous substances	✓	✓	✓
16 06	batteries and accumulators			

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
16 06 01*	lead batteries	X	✓	✓
16 06 02*	Ni-Cd batteries	X	✓	✓
16 06 03*	mercury-containing batteries	X	✓	✓
16 06 06*	separately collected electrolyte from batteries and accumulators	X	✓	✓
16 07	wastes from transport tank, storage tank and barrel cleaning (except 05 and 13)			
16 07 08*	wastes containing oil	✓	✓	✓
16 07 09*	wastes containing other hazardous substances	✓	✓	✓
16 08	spent catalysts			
16 08 02*	spent catalysts containing hazardous transition metals(3) or hazardous transition metal compounds	✓	✓	✓
16 08 05*	spent catalysts containing phosphoric acid	✓	✓	✓
16 08 06*	spent liquids used as catalysts	✓	✓	✓
16 08 07*	spent catalysts contaminated with hazardous substances	✓	✓	✓
16 09	oxidising substances			
16 09 01*	permanganates, for example potassium permanganate	✓	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage				
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
16 09 02*	chromates, for example potassium chromate, potassium or sodium dichromate	✓	✓	✓
16 09 03*	peroxides, for example hydrogen peroxide	✓	✓	✓
16 09 04*	oxidising substances, not otherwise specified	✓	✓	✓
16 10	aqueous liquid wastes destined for off-site treatment			
16 10 01*	aqueous liquid wastes containing hazardous substances	✓	✓	✓
16 10 03*	aqueous concentrates containing hazardous substances	✓	✓	✓
17	Construction and demolition wastes (including excavated soil from contaminated sites)			
17 01	Concrete, bricks, tiles and ceramics			
17 01 06*	mixtures of, or separate fractions of concrete, bricks, tiles and ceramics containing hazardous substances	X	✓	✓
17 02	wood, glass and plastic			
17 02 04*	glass, plastic and wood containing or contaminated with hazardous substances	X	✓	✓
17 03	bituminous mixtures, coal tar and tarred products			
17 03 01*	bituminous mixtures containing coal tar	X	✓	✓
17 03 03*	coal tar and tarred products	✓	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
17 04	metals (including their alloys)			
17 04 09*	metal waste contaminated with hazardous substances	X	✓	✓
17 04 10*	cables containing oil, coal tar and other hazardous substances	X	✓	✓
17 05	soil (including excavated soil from contaminated sites), stones and dredging spoil			
17 05 03*	soil and stones containing hazardous substances	X	✓	✓
17 06	insulation materials and asbestos-containing construction materials			
17 06 01*	insulation materials containing asbestos	X	✓	✓
17 06 03*	other insulation materials consisting of or containing hazardous substances	X	✓	✓
17 06 05*	construction materials containing asbestos	X	✓	✓
18	Wastes from Human and Animal Health Care and/or Related Research (except kitchen and restaurant wastes not arising from immediate health care)			
18 01	wastes from natal care, diagnosis, treatment or prevention of disease in humans			
18 01 03*	wastes whose collection and disposal is subject to special requirements in order to prevent infection	X	✓	✓
18 01 06*	chemicals consisting of or containing hazardous substances	✓	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
18 01 08*	cytotoxic and cytostatic medicines	X	✓	✓
18 01 10*	amalgam waste from dental care	X	✓	✓
18 02	wastes from research, diagnosis, treatment or prevention of disease involving animals			
18 02 02*	wastes whose collection and disposal is subject to special requirements in order to prevent infection	X	✓	✓
18 02 05*	chemicals consisting of or containing hazardous substances	✓	✓	✓
18 02 07*	cytotoxic and cytostatic medicines	X	✓	✓
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use			
19 02	wastes from physio/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)			
19 02 05*	sludges from physio/chemical treatment containing hazardous substances	✓	✓	✓
19 02 07*	oil and concentrates from separation	✓	✓	✓
19 02 08*	liquid combustible wastes containing hazardous substances	✓	✓	✓
19 02 09*	solid combustible wastes containing hazardous substances	✓	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
19 03	stabilised/solidified wastes			
19 03 04*	wastes marked as hazardous, partly stabilised other than 19 03 08	✓	✓	✓
19 03 06*	wastes marked as hazardous, solidified	✓	✓	✓
19 03 08*	partly stabilised mercury	✓	✓	✓
19 04	vitrified waste and wastes from vitrification			
19 04 02*	fly ash and other flue-gas treatment wastes	✓	✓	✓
19 08	wastes from waste water treatment plants not otherwise specified			
19 08 06*	saturated or spent ion exchange resins	✓	✓	✓
19 08 07*	solutions and sludges from regeneration of ion exchangers	✓	✓	✓
19 08 08*	membrane system waste containing heavy metals	✓	✓	✓
19 08 10*	grease and oil mixture from oil/water separation other than those mentioned in 19 08 09	✓	✓	✓
19 08 11*	sludges containing hazardous substances from biological treatment of industrial waste water	✓	✓	✓
19 08 13*	sludges containing hazardous substances from other treatment of industrial waste water	✓	✓	✓

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
19 11	wastes from oil regeneration			
19 11 03*	aqueous liquid wastes	✓	✓	✓
19 11 05*	sludges from on-site effluent treatment containing hazardous substances	✓	✓	✓
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified			
19 12 06*	wood containing hazardous substances	X	✓	✓
19 12 11*	other wastes (including mixtures of materials) from mechanical treatment of waste containing hazardous substances	X	✓	✓
19 13	wastes from soil and groundwater remediation			
19 13 01*	solid wastes from soil remediation containing hazardous substances	X	✓	✓
19 13 03*	sludges from soil remediation containing hazardous substances	✓	✓	✓
19 13 05*	sludges from groundwater remediation containing hazardous substances	✓	✓	✓
19 13 07*	aqueous liquid wastes and aqueous concentrates from groundwater remediation containing hazardous substances	✓	✓	✓
20	Municipal Wastes (Household Waste and Similar Commercial, Industrial and Institutional Wastes) Including Separately Collected Fractions			
20 01	separately collected fractions (except 15 01)			

Table S2.2 Permitted waste types and quantities for hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Waste code	Description	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
20 01 13*	solvents	✓	✓	✓
20 01 14*	acids	✓	✓	✓
20 01 15*	alkalines	✓	✓	✓
20 01 17*	photochemicals	✓	✓	✓
20 01 19*	pesticides	✓	✓	✓
20 01 21*	fluorescent tubes and other mercury-containing waste	X	✓	✓
20 01 23*	discarded equipment containing chloroflourocarbons	X	✓	✓
20 01 26*	oil and fat other than those mentioned in 20 01 25	✓	✓	✓
20 01 27*	paint, inks, adhesives and resins containing hazardous substances	✓	✓	✓
20 01 29*	detergents containing hazardous substances	✓	✓	✓
20 01 31*	cytotoxic and cytostatic medicines	X	✓	✓
20 01 33*	batteries and accumulators included in 16 06 01, 16 06 02 or 16 06 03 and unsorted batteries and accumulators containing these batteries	X	✓	✓
20 01 35*	discarded electrical and electronic equipment other than those mentioned in 20 01 21 and 20 01 23 containing hazardous components(7)	X	✓	✓
20 01 37*	wood containing hazardous substances	X	✓	✓

Table S2.3 Permitted waste types and quantities for hazardous waste blending, aggregation and storage				
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable installation activity reference		
Exclusions	Wastes must be in sealed containers of no more than 1 metre cubed capacity.	Column A: blending (A1)	Column B: bulking/ repackaging (A2)	Column C: temporary storage (A3)
Waste code	Description			
12	Wastes from shaping and physical and mechanical surface treatment of metals and plastics			
12 01	wastes from shaping and physical and mechanical surface treatment of metals and plastics			
12 01 09*	machining emulsions and solutions free of halogens	✓	✓	✓
17	Construction and demolition wastes (including excavated soil from contaminated sites)			
17 08	gypsum-based construction material			
17 08 01*	gypsum-based construction materials contaminated with hazardous substances	X	✓	✓
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use			
19 01	wastes from incineration or pyrolysis of waste			
19 01 11*	bottom ash and slag containing hazardous substances	X	✓	✓

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage				
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
01	Wastes resulting from Exploration, Mining, Quarrying, and Physical and Chemical Treatment of Minerals			
01 04	wastes from physical and chemical processing of non-metalliferous minerals			
01 04 08	waste gravel and crushed rocks other than those mentioned in 01 04 07	X	✓	✓
02	Wastes from Agriculture, Horticulture, Aquaculture, Forestry, Hunting and Fishing, Food Preparation and Processing			
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing			
02 01 02	animal-tissue waste	X	✓	✓
02 01 03	plant-tissue waste	X	✓	✓
02 01 04	waste plastics (except packaging)	X	✓	✓
02 01 06	animal faeces, urine and manure (including spoiled straw), effluent, collected separately and treated off-site	X	✓	✓
02 01 09	agrochemical waste other than those mentioned in 02 01 08	✓	✓	✓
02 01 10	waste metal	X	✓	✓
02 02	wastes from the preparation and processing of meat, fish and other foods of animal origin			

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
02 02 02	animal-tissue waste	X	✓	✓
02 02 03	materials unsuitable for consumption or processing	✓	✓	✓
02 03	wastes from fruit, vegetables, cereals, edible oils, cocoa, coffee, tea and tobacco preparation and processing; conserve production; yeast and yeast extract production, molasses preparation and fermentation			
02 03 04	materials unsuitable for consumption or processing	✓	✓	✓
02 04	wastes from sugar processing			
02 04 01	soil from cleaning and washing beet	X	✓	✓
02 07	wastes from the production of alcoholic and non-alcoholic beverages (except coffee, tea and cocoa)			
02 07 04	materials unsuitable for consumption or processing	✓	✓	✓
03	Wastes from wood processing and the production of panels and furniture, pulp, paper and cupbaords			
03 01	wastes from wood processing and the production of panels and furniture			
03 01 05	sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04	X	✓	✓
03 03	wastes from pulp, paper and cardboard production and processing			

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
03 03 01	waste bark and wood	X	✓	✓
03 03 07	mechanically separated rejects from pulping of waste paper and cardboard	X	✓	✓
03 03 08	wastes from sorting of paper and cardboard destined for recycling	X	✓	✓
04 Wastes from the Leather, Fur and Textile Industries				
04 01	wastes from the leather and fur industry			
04 01 04	tanning liquor containing chromium	✓	✓	✓
04 01 05	tanning liquor free of chromium	✓	✓	✓
04 01 06	sludges, in particular from on-site effluent treatment containing chromium	X	✓	✓
04 01 07	sludges, in particular from on-site effluent treatment free of chromium	X	✓	✓
04 02	wastes from the textile industry			
04 02 10	organic matter from natural products (for example grease, wax)	X	✓	✓
04 02 15	wastes from finishing other than those mentioned in 04 02 14	✓	✓	✓
04 02 22	wastes from processed textile fibres	✓	✓	✓
06 Wastes from Inorganic Chemical Processes				
06 03	wastes from the MFSU of salts and their solutions and metallic oxides			

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
06 03 14	solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13	✓	✓	✓
06 03 16	metallic oxides other than those mentioned in 06 03 15	X	✓	✓
06 05	sludges from on-site effluent treatment			
06 05 03	sludges from on-site effluent treatment other than those mentioned in 06 05 02	✓	✓	✓
06 06	wastes from the MFSU of sulphur chemicals, sulphur chemical processes and desulphurisation processes			
06 06 03	wastes containing sulphides other than those mentioned in 06 06 02	X	✓	✓
06 13	wastes from inorganic chemical processes not otherwise specified			
06 13 03	carbon black	X	✓	✓
07	Wastes from Organic Chemical Processes			
07 01	wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals			
07 01 12	sludges from on-site effluent treatment other than those mentioned in 07 01 11	✓	✓	✓
07 02	wastes from the MFSU of plastics, synthetic rubber and man-made fibres			
07 02 12	sludges from on-site effluent treatment other than those mentioned in 07 02 11	✓	✓	✓
07 02 13	waste plastic	X	✓	✓

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
07 02 15	wastes from additives other than those mentioned in 07 02 14	✓	✓	✓
07 03	wastes from the MFSU of organic dyes and pigments (except 06 11)			
07 03 12	sludges from on-site effluent treatment other than those mentioned in 07 03 11	✓	✓	✓
07 04	wastes from the MFSU of organic plant protection products (except 02 01 08 and 02 01 09), wood preserving agents (except 03 02) and other biocides			
07 04 12	sludges from on-site effluent treatment other than those mentioned in 07 04 11	✓	✓	✓
07 05	wastes from the MFSU of pharmaceuticals			
07 05 12	sludges from on-site effluent treatment other than those mentioned in 07 05 11	✓	✓	✓
07 05 14	solid wastes other than those mentioned in 07 05 13	X	✓	✓
07 06	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics			
07 06 12	sludges from on-site effluent treatment other than those mentioned in 07 06 11	✓	✓	✓
07 07	wastes from the MFSU of fine chemicals and chemical products not otherwise specified			
07 07 12	sludges from on-site effluent treatment other than those mentioned in 07 07 11	✓	✓	✓
08	Wastes from Manufacture, Formulation, Supply and Use (MFSU) of Coatings (Paints, Varnishes and Vitreous Enamels), Adhesives, Sealants and Printing Inks			

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
08 01	wastes from MFSU and removal of paint and varnish			
08 01 12	waste paint and varnish other than those mentioned in 08 01 11	✓	✓	✓
08 01 14	sludges from paint or varnish other than those mentioned in 08 01 13	✓	✓	✓
08 01 16	aqueous sludges containing paint or varnish other than those mentioned in 08 01 15	✓	✓	✓
08 01 18	wastes from paint or varnish removal other than those mentioned in 18 01 17	✓	✓	✓
08 01 20	aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19	✓	✓	✓
08 02	wastes from MFSU of other coatings (including ceramic materials)			
08 02 01	waste coating powders	X	✓	✓
08 02 02	aqueous sludges containing ceramic materials	✓	✓	✓
08 02 03	aqueous suspensions containing ceramic materials	✓	✓	✓
08 03	wastes from MFSU of printing inks			
08 03 07	aqueous sludges containing ink	✓	✓	✓
08 03 08	aqueous liquid waste containing ink	✓	✓	✓
08 03 13	waste ink other than those mentioned in 08 03 12	✓	✓	✓
08 03 15	ink sludges other than those mentioned in 08 03 14	✓	✓	✓

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
08 03 18	waste printing toner other than those mentioned in 08 03 17	✓	✓	✓
08 04	wastes from MFSU of adhesives and sealants (including waterproofing products)			
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09	✓	✓	✓
08 04 12	adhesive and sealant sludges other than those mentioned in 08 04 11	✓	✓	✓
08 04 14	aqueous sludges containing adhesives or sealants other than those mentioned in 08 04 13	✓	✓	✓
08 04 16	aqueous liquid waste containing adhesives or sealants other than those mentioned in 08 04 15	✓	✓	✓
09	Wastes from the Photographic Industry			
09 01	wastes from the photographic industry			
09 01 07	photographic film and paper containing silver or silver compounds	X	✓	✓
09 01 08	photographic film and paper free of silver or silver compounds	X	✓	✓
09 01 10	single-use cameras without batteries	X	✓	✓
09 01 12	single-use cameras containing batteries other than those mentioned in 09 01 11	X	✓	✓
10	Wastes from Thermal Processes			

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
10 01 01	bottom ash, slag and boiler dust (excluding boiler dust mentioned in 10 01 04)	X	✓	✓
10 01 02	coal fly ash	X	✓	✓
10 01 05	calcium-based reaction wastes from flue-gas desulphurisation in solid form	X	✓	✓
10 01 15	bottom ash, slag and boiler dust from co-incineration other than those mentioned in 10 01 14	X	✓	✓
10 02	wastes from the iron and steel industry			
10 02 08	solid wastes from gas treatment other than those mentioned in 10 02 07	X	✓	✓
10 03	wastes from aluminium thermal metallurgy			
10 03 16	skimmings other than those mentioned in 10 03 15	X	✓	✓
10 05	wastes from zinc thermal metallurgy			
10 05 04	other particulates and dust	X	✓	✓
10 05 11	dross and skimmings other than those mentioned in 10 05 10	X	✓	✓
10 06	wastes from copper thermal metallurgy			
10 06 04	other particulates and dust	X	✓	✓
10 08	waste from other non-ferrous thermal metallurgy			

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
10 08 11	dross and skimmings other than those mentioned in 10 08 10	X	✓	✓
10 09	wastes from casting of ferrous pieces			
10 09 16	waste crack-indicating agent other than those mentioned in 10 09 15	✓	✓	✓
10 10	wastes from casting of non-ferrous pieces			
10 10 06	casting cores and moulds which have not undergone pouring, other than those mentioned in 10 10 05	X	✓	✓
10 10 08	casting cores and moulds which have undergone pouring, other than those mentioned in 10 10 07	X	✓	✓
10 10 16	waste crack-indicating agent other than those mentioned in 10 10 15	✓	✓	✓
10 11	wastes from manufacture of glass and glass products			
10 11 03	waste glass-based fibrous materials	X	✓	✓
10 11 05	particulates and dust	X	✓	✓
10 11 10	waste preparation mixture before thermal processing, other than those mentioned in 10 11 09	✓	✓	✓
10 11 12	waste glass other than those mentioned in 10 11 11	X	✓	✓
10 11 14	glass-polishing and grinding sludge other than those mentioned in 10 11 13	X	✓	✓

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
10 11 16	solid wastes from flue-gas treatment other than those mentioned in 10 11 15	X	✓	✓
10 11 18	sludges and filter cakes from flue-gas treatment other than those mentioned in 10 11 17	X	✓	✓
10 11 20	solid wastes from on-site effluent treatment other than those mentioned in 10 11 19	X	✓	✓
10 12	wastes from manufacture of ceramic goods, bricks, tiles and construction products			
10 12 12	wastes from glazing other than those mentioned in 10 12 11	✓	✓	✓
10 13	wastes from manufacture of cement, lime and plaster and articles and products made from them			
10 13 10	wastes from asbestos-cement manufacture other than those mentioned in 10 13 09	X	✓	✓
10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10	X	✓	✓
10 13 14	waste concrete and concrete sludge	X	✓	✓
11	Wastes from Chemical Surface Treatment and Coating of Metals and other Materials; Non-Ferrous Hydro-Metallurgy			
11 01	wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphatising, alkaline degreasing, anodising)			

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
11 01 10	sludges and filter cakes other than those mentioned in 11 01 09	✓	✓	✓
11 01 12	aqueous rinsing liquids other than those mentioned in 11 01 11	✓	✓	✓
11 01 14	degreasing wastes other than those mentioned in 11 01 13	✓	✓	✓
12 Wastes from Shaping and Physical and Mechanical Surface Treatment of Metals and Plastics				
12 01	wastes from shaping and physical and mechanical surface treatment of metals and plastics			
12 01 01	ferrous metal filings and turnings	X	✓	✓
12 01 02	ferrous metal dust and particles	X	✓	✓
12 01 03	non-ferrous metal filings and turnings	X	✓	✓
12 01 04	non-ferrous metal dust and particles	X	✓	✓
12 01 05	plastics shavings and turnings	X	✓	✓
12 01 13	welding wastes	X	✓	✓
12 01 15	machining sludges other than those mentioned in 12 01 14	✓	✓	✓
12 01 17	waste blasting material other than those mentioned in 12 01 16	X	✓	✓
12 01 21	spent grinding bodies and grinding materials other than those mentioned in 12 01 20	X	✓	✓

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
15	Waste Packaging; Absorbents, Wiping Cloths, Filter Materials and Protective Clothing not Otherwise Specified			
15 01	packaging (including separately collected municipal packaging waste)			
15 01 01	paper and cardboard packaging	X	✓	✓
15 01 02	plastic packaging	X	✓	✓
15 01 03	wooden packaging	X	✓	✓
15 01 04	metallic packaging	X	✓	✓
15 01 05	composite packaging	X	✓	✓
15 01 06	mixed packaging	X	✓	✓
15 01 07	glass packaging	X	✓	✓
15 01 09	textile packaging	X	✓	✓
15 02	absorbents, filter materials, wiping cloths and protective clothing	X	✓	✓
15 02 03	absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02	X	✓	✓
16	Wastes not otherwise specified in the list			

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
16 01	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)			
16 01 03	end-of-life tyres	X	✓	✓
16 01 12	brake pads other than those mentioned in 16 01 11	X	✓	✓
16 01 15	antifreeze fluids other than those mentioned in 16 01 14	✓	✓	✓
16 01 17	ferrous metal	X	✓	✓
16 01 18	non-ferrous metal	X	✓	✓
16 01 19	plastic	X	✓	✓
16 01 20	glass	X	✓	✓
16 01 22	components not otherwise specified	X	✓	✓
16 02	wastes from electrical and electronic equipment			
16 02 14	discarded equipment other than those mentioned in 16 02 09 to 16 02 13	X	✓	✓
16 02 16	components removed from discarded equipment other than those mentioned in 16 02 15	X	✓	✓
16 03	off-specification batches and unused products			

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage				
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
16 03 04	inorganic wastes other than those mentioned in 16 03 03	✓	✓	✓
16 03 06	organic wastes other than those mentioned in 16 03 05	✓	✓	✓
16 05	gases in pressure containers and discarded chemicals			
16 05 05	gases in pressure containers other than those mentioned in 16 05 04	X	✓	✓
16 05 09	discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08	✓	✓	✓
16 06	batteries and accumulators			
16 06 04	alkaline batteries (except 16 06 03)	X	✓	✓
16 06 05	other batteries and accumulators	X	✓	✓
16 08	spent catalysts			
16 08 01	spent catalysts containing gold, silver, rhenium, rhodium, palladium, iridium or platinum (except 16 08 07)	✓	✓	✓
16 08 03	spent catalysts containing transition metals or transition metal compounds not otherwise specified	✓	✓	✓
16 08 04	spent fluid catalytic cracking catalysts (except 16 08 07)	✓	✓	✓
16 09	oxidising substances			
16 09 04	oxidising substances, not otherwise specified	✓	✓	✓

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
16 10	aqueous liquid wastes destined for off-site treatment			
16 10 02	aqueous liquid wastes other than those mentioned in 16 10 01	✓	✓	✓
16 10 04	aqueous concentrates other than those mentioned in 16 10 03	✓	✓	✓
17	Construction and demolition wastes (including excavated soil from contaminated sites)			
17 01 01	concrete	X	✓	✓
17 01 02	bricks	X	✓	✓
17 01 03	tiles and ceramics	X	✓	✓
17 02	wood, glass and plastic			
17 02 01	wood	X	✓	✓
17 02 02	glass	X	✓	✓
17 02 03	plastic	X	✓	✓
17 03 02	bituminous mixtures other than those mentioned in 17 03 01	X	✓	✓
17 04	metals (including their alloys)			
17 04 01	copper, bronze, brass	X	✓	✓

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
17 04 02	aluminium	X	✓	✓
17 04 03	lead	X	✓	✓
17 04 04	zinc	X	✓	✓
17 04 05	iron and steel	X	✓	✓
17 04 06	tin	X	✓	✓
17 04 07	mixed metals	X	✓	✓
17 04 11	cables other than those mentioned in 17 04 10	X	✓	✓
17 06	insulation materials and asbestos-containing construction materials			
17 06 04	insulation materials other than those mentioned in 17 06 01 and 17 06 03	X	✓	✓
18	Wastes from Human and Animal Health Care and/or Related Research (except kitchen and restaurant wastes not arising from immediate health care)			
18 01	wastes from natal care, diagnosis, treatment or prevention of disease in humans			
18 01 01	sharps (except 18 01 03)	X	✓	✓
18 01 02	body parts and organs including blood bags and blood preserves (except 18 01 03)	X	✓	✓

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
18 01 04	wastes whose collection and disposal is not subject to special requirements in order to prevent infection (for example dressings, plaster casts, linen, disposable clothing, diapers)	X	✓	✓
18 01 07	chemicals other than those mentioned in 18 01 06	✓	✓	✓
18 01 09	medicines other than those mentioned in 18 01 08	✓	✓	✓
18 02	wastes from research, diagnosis, treatment or prevention of disease involving animals			
18 02 01	sharps (except 18 02 02)	X	✓	✓
18 02 03	wastes whose collection and disposal is not subject to special requirements in order to prevent infection	X	✓	✓
18 02 06	chemicals other than those mentioned in 18 02 05	✓	✓	✓
18 02 08	medicines other than those mentioned in 18 02 07	✓	✓	✓
19	Wastes from Waste Management Facilities, Off-Site Waste Water treatment Plants and the Preparation of Water Intended for Human Consumption and Water for Industrial Use			
19 01 12	bottom ash and slag other than those mentioned in 19 01 11	X	✓	✓
19 02	wastes from physio/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)			
19 02 06	sludges from physico/chemical treatment other than those mentioned in 19 02 05	✓	✓	✓

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
19 02 10	combustible wastes other than those mentioned in 19 02 08 and 19 02 09	X	✓	✓
19 03	stabilised/solidified wastes			
19 03 05	stabilised wastes other than those mentioned in 19 03 04	X	✓	✓
19 03 07	solidified wastes other than those mentioned in 19 03 06	X	✓	✓
19 05	wastes from aerobic treatment of waste			
19 05 01	non-composted fraction of municipal and similar wastes	X	✓	✓
19 05 02	non-composted fraction of animal and vegetable waste	X	✓	✓
19 05 03	off-specification compost	X	✓	✓
19 06	wastes from anaerobic treatment of waste			
19 06 05	liquor from anaerobic treatment of animal and vegetable waste	✓	✓	✓
19 06 06	digestate from anaerobic treatment of animal and vegetable waste	✓	✓	✓
19 08	wastes from waste water treatment plants otherwise specified			
19 08 01	screenings	X	✓	✓
19 08 02	waste from desanding	X	✓	✓

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
19 08 05	sludges from treatment of urban waste water	✓	✓	✓
19 08 09	grease and oil mixture from oil/water separation containing only edible oil and fats	✓	✓	✓
19 08 12	sludges from biological treatment of industrial waste water other than those mentioned in 19 08 11	✓	✓	✓
19 08 14	sludges from other treatment of industrial waste water other than those mentioned in 19 08 13	✓	✓	✓
19 09	wastes from the preparation of water intended for human consumption or water for industrial use			
19 09 01	solid waste from primary filtration and screenings	X	✓	✓
19 09 02	sludges from water clarification	✓	✓	✓
19 09 03	sludges from decarbonation	✓	✓	✓
19 09 04	spent activated carbon	X	✓	✓
19 09 06	solutions and sludges from regeneration of ion exchangers	✓	✓	✓
19 10	wastes from shredding of metal-containing wastes			
19 10 01	iron and steel waste	X	✓	✓
19 10 02	non-ferrous waste	X	✓	✓

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage

Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
19 11	wastes from oil regeneration			
19 11 06	sludges from on-site effluent treatment other than those mentioned in 19 11 05	✓	✓	✓
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified			
19 12 01	paper and cardboard	X	✓	✓
19 12 02	ferrous metal	X	✓	✓
19 12 03	non-ferrous metal	X	✓	✓
19 12 04	plastic and rubber	X	✓	✓
19 12 05	glass	X	✓	✓
19 12 07	wood other than that mentioned in 19 12 06	X	✓	✓
19 12 08	textiles	X	✓	✓
19 12 09	minerals (for example sand, stones)	X	✓	✓
19 12 12	other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11	X	✓	✓
19 13	wastes from soil and groundwater remediation			

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage				
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
19 13 02	solid wastes from soil remediation other than those mentioned in 19 13 01	X	✓	✓
19 13 04	sludges from soil remediation other than those mentioned in 19 13 03	✓	✓	✓
19 13 06	sludges from groundwater remediation other than those mentioned in 19 13 05	✓	✓	✓
19 13 08	aqueous liquid wastes and aqueous concentrates from groundwater remediation other than those mentioned in 19 13 07	✓	✓	✓
20 Municipal Wastes (Household Waste and Similar Commercial, Industrial and Institutional Wastes) Including Separately Collected Fractions				
20 01	separately collected fractions (except 15 01)			
20 01 08	biodegradable kitchen and canteen waste	X	✓	✓
20 01 11	textiles	X	✓	✓
20 01 25	edible oil and fat	✓	✓	✓
20 01 28	paint, inks, adhesives and resins other than those mentioned in 20 01 27	✓	✓	✓
20 01 30	detergents other than those mentioned in 20 01 29	✓	✓	✓
20 01 32	medicines other than those mentioned in 20 01 31	✓	✓	✓
20 01 34	batteries and accumulators other than those mentioned in 20 01 33	X	✓	✓

Table S2.4 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage				
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Waste code	Description	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
20 01 36	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35	X	✓	✓
20 01 38	wood other than that mentioned in 20 01 37	X	✓	✓
20 01 39	plastics	X	✓	✓
20 01 40	metals	X	✓	✓
20 01 99	other fractions not otherwise specified (carcasses from pest control only)	X	✓	✓

Table S2.5 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage				
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Exclusions	Wastes must be in sealed containers of no more than 1 metre cubed capacity.	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
Waste code	Description			
02	Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing			
02 05	wastes from the dairy products industry			
02 05 01	materials unsuitable for consumption or processing	✓	✓	✓

Table S2.5 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage				
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Exclusions	Wastes must be in sealed containers of no more than 1 metre cubed capacity.	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
Waste code	Description			
02 06	wastes from the baking and confectionery industry			
02 06 01	materials unsuitable for consumption or processing	✓	✓	✓
17	Construction and demolition wastes (including excavated soil from contaminated sites)			
17 01	concrete, bricks, tiles and ceramics			
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06	X	✓	✓
17 05	soil (including excavated soil from contaminated sites), stones and dredging spoil			
17 05 04	soil and stones other than those mentioned in 17 05 03	X	✓	✓
17 08	gypsum-based construction material			
17 08 02	gypsum-based construction materials other than those mentioned in 17 08 01	X	✓	✓
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use			
19 09	wastes from the preparation of water intended for human consumption or water for industrial use			
19 09 05	saturated or spent ion exchange resins	X	✓	✓

Table S2.5 Permitted waste types and quantities for non-hazardous waste blending, aggregation and storage				
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 13,000 tonnes per year.	Applicable waste operation reference		
Exclusions	Wastes must be in sealed containers of no more than 1 metre cubed capacity.	Column A: blending (A8)	Column B: bulking/ repackaging (A8)	Column C: temporary storage (A9)
Waste code	Description			
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions			
20 01	separately collected fractions (except 15 01)			
20 01 01	paper and cardboard	X	✓	✓
20 01 02	glass	X	✓	✓
20 01 10	clothes	X	✓	✓
20 02	garden and park wastes (including cemetery waste)			
20 02 01	biodegradable waste	X	✓	✓
20 03	other municipal wastes			
20 03 01	mixed municipal waste	X	✓	✓
20 03 07	bulky waste	X	✓	✓

Schedule 3 – Emissions and monitoring

Table S3.1 Point source emissions to air – emission limits and monitoring requirements						
Emission point ref. & location	Source	Parameter	Limit (including unit)	Reference period	Monitoring frequency	Monitoring standard or method
A1 on site plan in schedule 7	Vent from solvents bulking & blending air extraction system	[Note 1]	[Note 1]	[Note 1]	[Note 1]	[Note 1]
A2 on site plan in schedule 7	Vent from fume hood in aggregation area	[Note 1]	[Note 1]	[Note 1]	[Note 1]	[Note 1]
Note 1 – to be set following completion of improvement condition IC4						

Table S3.2 Point Source emissions to water (other than sewer) and land – emission limits and monitoring requirements						
Emission point ref. & location	Parameter	Source	Limit (incl. unit)	Reference Period	Monitoring frequency	Monitoring standard or method
SI and S2 on site plan in schedule 7 emission to surface water sewer.	No parameters set	Uncontaminated site surface water from roofs and outside areas	--	--	--	--

Schedule 4 – Reporting

Parameters, for which reports shall be made, in accordance with conditions of this permit, are listed below.

Table S4.1 Reporting of monitoring data			
Parameter	Emission or monitoring point/reference	Reporting period	Period begins
Emissions to air Parameters as required by condition 3.5.1.	A1 & A2	Every 12 months	1 January

Table S4.2: Annual production/treatment	
Parameter	Units
Hazardous waste received/stored	tonnes
Non-hazardous waste received/stored	tonnes

Table S4.3 Performance parameters		
Parameter	Frequency of assessment	Units
Water usage	Annually	tonnes
Energy usage	Annually	MWh
Raw material usage	Annually	tonnes

Table S4.4 Reporting forms		
Media/parameter	Reporting format	Date of form
Air emissions	Form Air1 or other form as agreed in writing by the Environment Agency	02/03/16
Water usage	Form WaterUsage1 or other form as agreed in writing by the Environment Agency	02/03/16
Energy usage	Form Energy1 or other form as agreed in writing by the Environment Agency	02/03/16
Other performance indicators	Form Performance1 or other form as agreed in writing by the Environment Agency	02/03/16
Waste returns	E-waste returns	--

Schedule 5 – Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

(a) Notification requirements for any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution	
To be notified within 24 hours of detection	
Date and time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substances(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Measures taken, or intended to be taken, to stop the emission	

Time periods for notification following detection of a breach of a limit	
Parameter	Notification period

(c) Notification requirements for the detection of any significant adverse environmental effect	
To be notified within 24 hours of detection	
Description of where the effect on the environment was detected	
Substances(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

Part B – to be submitted as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

Name*	
Post	
Signature	
Date	

* authorised to sign on behalf of the operator

Schedule 6 – Interpretation

“accident” means an accident that may result in pollution.

“application” means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

“authorised officer” means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

“baling” means baling that utilises a hydraulic machine that using compressive forces compacts various materials into regular-shaped dense bales (typically a cube). Bales may be belted with straps or steel wire to keep the bale in its compacted state.

“building” means a construction that has the objective of providing sheltering cover and minimising emissions of noise, particulate matter, odour and litter.

“disposal” means any of the operations provided for in Annex I to Directive 2008/98/EC of the European Parliament and of the Council on waste.

“emissions of substances not controlled by emission limits” means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission limit.

“emissions to land” includes emissions to groundwater.

“EP Regulations” means The Environmental Permitting (England and Wales) Regulations SI 2010 No.675 and words and expressions used in this permit which are also used in the Regulations have the same meanings as in those Regulations.

“groundwater” means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

“impermeable surface” means a surface or pavement constructed and maintained to a standard sufficient to prevent the transmission of liquids beyond the pavement surface.

“Industrial Emissions Directive” means DIRECTIVE 2010/75/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 24 November 2010 on industrial emissions

“MCERTS” means the Environment Agency’s Monitoring Certification Scheme.

“pests” means Birds, Vermin and Insects.

“quarter” means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

“recovery” means any of the operations provided for in Annex II to Directive 2008/98/EC of the European Parliament and of the Council on waste.

“sealed drainage system” in relation to an impermeable surface, means a drainage system with impermeable components which does not leak and which will ensure that:

- no liquids will run off the surface otherwise than via the system
- all liquids entering the system are collected in a sealed sump, except where liquids may be lawfully discharged to foul sewer.

“treated wood” means any wood that has been chemically treated (e.g. to enhance or alter the performance of the original wood). Treatments may include penetrating oils, tar oil preservatives, water-borne preservatives, organic-based preservatives, boron and organo-metallic based preservatives, boron and halogenated flame retardants and surface treatments (including paint and venner).

“Waste code” means the six digit code referable to a type of waste in accordance with the List of Wastes and in relation to hazardous waste, includes the asterisk.

“Waste Framework Directive” or “WFD” means Waste Framework Directive 2008/98/EC of the European Parliament and of the Council on waste.

“WEEE” means waste electrical and electronic equipment.

“WEEE Directive” means Directive 2012/19/EU of the European Parliament and of the Council of 4th July 2012 on waste electrical and electronic equipment (WEEE).


“year” means calendar year ending 31 December.


Where a minimum limit is set for any emission parameter, for example pH, reference to exceeding the limit shall mean that the parameter shall not be less than that limit.

Unless otherwise stated, any references in this permit to concentrations of substances in emissions into air means:

- 1 in relation to emissions from combustion processes, the concentration in dry air at a temperature of 273K, at a pressure of 101.3 kPa and with an oxygen content of 3% dry for liquid fuels, 3% or 5% for gaseous fuels, 6% dry for solid fuels; and/or
- 2 in relation to emissions from non-combustion sources, the concentration at a temperature of 273K and at a pressure of 101.3 kPa, with no correction for water vapour content.

Schedule 7 – Site plans





END OF PERMIT

Permit Number: SP3895VG

Operator: Labwaste Limited

Facility: Labwaste Ltd

Form Number: Air1/02/03/16

Reporting of emissions to air for the period from DD/MM/YYYY to DD/MM/YYYY

Emission Point	Substance / Parameter	Emission Limit Value	Reference Period	Result [1]	Test Method [2]	Sample Date and Times [3]	Uncertainty [4]

[1] The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.

[2] Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Environment Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.

[3] For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.

[4] The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

Signed

Date.....

(Authorised to sign as representative of Operator)

Permit Number: SP3895VG

Operator: Labwaste Ltd

Facility: Labwaste Ltd

Form Number: WaterUsage1/02/03/16

Reporting of Water Usage for the year

Water Source	Usage (m ³ /year)	Specific Usage (m ³ /unit output)
Mains water		
TOTAL WATER USAGE		

Operator's comments:

Signed

Date.....

(authorised to sign as representative of Operator)

Permit Number: SP3895VG

Operator: Labwaste Ltd

Facility: Labwaste Ltd

Form Number: Energy1/02/03/16

Reporting of Energy Usage for the year

Energy Source	Energy Usage		Specific Usage (MWh/unit output)
	Quantity	Primary Energy (MWh)	
Electricity *	MWh		
Natural Gas	MWh		
Gas Oil	tonnes		
TOTAL	-		

* Conversion factor for delivered electricity to primary energy = 2.4

Operator's comments:

Signed

Date.....

(Authorised to sign as representative of Operator)

Permit Number: SP3895VG

Operator: Labwaste Ltd

Facility: Labwaste Ltd

Form Number: Performance1/02/03/16

Reporting of other performance indicators for the period DD/MM/YYYY to DD/MM/YYYY

Parameter	Units
Total raw material used	tonnes

Operator's comments:

Signed

Date.....

(Authorised to sign as representative of Operator)